

# Cryogenics

## Index to Volume 45 (2005)

|                            |                           |                                          |
|----------------------------|---------------------------|------------------------------------------|
| No. 1 (January) pp 1–86    | No. 5 (May) pp 325–398    | No. 9 (September) pp 589–644             |
| No. 2 (February) pp 87–162 | No. 6 (June) pp 399–468   | Nos. 10–11 (October/November) pp 645–718 |
| No. 3 (March) pp 163–242   | No. 7 (July) pp 469–528   | No. 12 (December) pp 719–780             |
| No. 4 (April) pp 243–324   | No. 8 (August) pp 529–588 |                                          |

### Number 1/January

#### Preface

*L. Lin, O. Tsukamoto and M.-S. Yun* 1

Roads for HTS power applications to go into the real world. Cost issues and technical issues

*O. Tsukamoto* 3

Development of 500 m HTS power cable in super-ACE project

*S. Mukoyama, S. Maruyama, M. Yagi, Y. Yagi, N. Ishii, O. Sato, M. Amemiya, H. Kimura and A. Kimura* 11

AC losses in HTS bulk and their influence on trapped magnetic field

*Y. Zushi, I. Asaba, J. Ogawa, K. Yamagishi and O. Tsukamoto* 17

AC loss characteristics of YBCO conductors carrying transport currents in external AC magnetic fields

*J. Ogawa, H. Nakayama, S. Odaka and O. Tsukamoto* 23

AC loss measurements of twisted and untwisted BSCCO multifilamentary tapes

*Z. Jiang, N. Amemiya, T. Nishioka and S.-S. Oh* 29

Magnetic field effect on the escape rate in Nb/AlO<sub>x</sub>/Nb josephson junctions

*D.H. Kim, B.Y. Kim, J.H. Kang and T.S. Hahn* 35

Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> thin films on 2 in. LaAlO<sub>3</sub>(001) substrates

*S.L. Yan, L. Fang, M. He, R.T. Lu, X.J. Zhao, X. Lu, Y.X. Jia, J.W. Wang and T.G. Zhou* 41

Electrical characteristics of high-*T<sub>c</sub>* superconducting mini-model cable under mechanical stresses in liquid nitrogen

*H.J. Kim, D.S. Kwag, Y.S. Kim and S.H. Kim* 45

A study on the surface flashover characteristics for a HTS cable termination

*S.-M. Baek, H.-S. Ryoo and S.-H. Kim* 51

Aging characteristics of cryogenic insulator for development of HTS transformer

*V.-D. Nguyen, J.-M. Joung, S.-M. Baek, C.-H. Lee and S.-H. Kim* 57

Sub-cooled nitrogen cryogenic cooling system for superconducting fault current limiter by using GM-cryocooler

*H. Kang, H.J. Kim, D.K. Bae, M.C. Ahn, H.-M. Chang and T.K. Ko* 65

The design and fabrication of a reverse Brayton cycle cryocooler system for the high temperature superconductivity cable cooling

*J.H. Park, Y.H. Kwon and Y.S. Kim* 71

Experimental investigation of the film boiling heat transfer in He II: Heat transfer coefficient

*P. Zhang and M. Murakami* 77

Calendar 85

### Number 2/February

Considerations on the selection of alloys for use in pressure cells at low temperatures

*I.R. Walker* 87

Investigation into the use of solid nitrogen to create a "Thermal Battery" for cooling a portable high-temperature superconducting magnet

*P. Hales, H. Jones, S. Milward and S. Harrison* 109

Ultra-low vibration split Stirling linear cryogenic cooler with a dynamically counterbalanced pneumatically driven expander

*A.M. Veprik, S.V. Riabzev, G.S. Vilenchik and N. Pundak* 117

Tension-tension fatigue behavior of GFRP woven laminates at low temperatures

*S. Kumagai, Y. Shindo and A. Inamoto* 123

Temperature oscillations in thin metallic tapes with transport current at liquid nitrogen temperature

*F. Chovanec and P. Usak* 129

Evidence of current stabilization after long-time decay in high- $T_c$  superconductors

*H. González-Jorge, J. Peleteiro, J. Troncoso, E. Carballo and G. Domarco* 135

Designing of epoxy resin systems for cryogenic use

*T. Ueki, S. Nishijima and Y. Izumi* 141

Interstrand resistances in cored Rutherford-type superconducting cables

*R. Soika and A.K. Ghosh* 149

High frequency two-stage pulse tube cryocooler with base temperature below 20 K

*L.W. Yang and G. Thummes* 155

Calendar 161

### Number 3/March

Numerical calculation of the temperature difference between the extremities of a thermoacoustic stack plate

*D. Marx and Ph. Blanc-Benon* 163

Experimental study on a simple Ranque-Hilsch vortex tube

*C.M. Gao, K.J. Bosschaert, J.C.H. Zeegers and A.T.A.M. de Waele* 173

Influence of resonance tube length on performance of thermoacoustically driven pulse tube refrigerator

*K. Tang, G.B. Chen, T. Jin, R. Bao, B. Kong and L.M. Qiu* 185

Optimum operating conditions for an adsorption cryocooler: a case of activated carbon + nitrogen system

*R.R. Rao, M. Prasad and K. Srinivasan* 193

Dynamic simulation of the helium refrigerator/liquefier for LHD

*R. Maekawa, K. Ooba, M. Nobutoki and T. Mito* 199

Performance of Stirling-type non-magnetic and non-metallic co-axial pulse tube cryocoolers for high- $T_c$  SQUIDs operation

*H.Z. Dang, Y.L. Ju, J.T. Liang, J.H. Cai, M.G. Zhao and Y. Zhou* 213

A capacitance based axial position sensor for cryocoolers

*J.S. Reed* 225

A nitrogen triple-point thermal storage unit for cooling a SQUID magnetometer

*A.P. Rijpmma, D.J. Meenderink, H.A. Reincke, G.C.F. Venhorst, H.J. Holland and H.J.M. ter Brake* 231

Calendar 241

### Number 4/April

Flow control of NaCl aqueous solution using gas-liquid interface deformation induced by magnetic fields: influence of flow velocity and concentration

*S.-H. Lee, M. Takeda and K. Nishigaki* 243

Prediction of Joule-Thomson inversion curves for pure fluids and one mixture by molecular simulation

*J. Vrabec, G.K. Kedia and H. Hasse* 253

A multilevel homogenised model for superconducting strand thermomechanics

*D.P. Boso, M. Lefik and B.A. Schrefler* 259

Cryogenic system with the sub-cooled liquid nitrogen for cooling HTS power cable

*Y.F. Fan, L.H. Gong, X.D. Xu, L.F. Li, L. Zhang and L.Y. Xiao* 272

Effect of sub-cooling channel in an ITER 13 T-40 kA Nb<sub>3</sub>Sn coil (CS insert) on stability

*T. Inaguchi and M. Hasegawa* 277

AC loss properties of elliptic superconducting wires exposed to a transverse magnetic field with an arbitrary angle

*K. Kajikawa, T. Hayashi and K. Funaki* 289

Thermal conductivity of Torlon between 4.2 and 300 K

*M. Barucci, E. Olivieri, E. Pasca, L. Risegari and G. Ventura* 295

Influence of a degraded SrTiO<sub>3</sub> layer at the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7- $\delta$</sub> -SrTiO<sub>3</sub> interface on the dielectric behavior at cryogenic temperature

*H. Takashima, R. Wang, M. Okano, A. Shoji and M. Itoh* 300

Numerical study of the two-phase flow characteristics of slush nitrogen

*J. Ishimoto and R. Ono* 304

Low-frequency magnetic interference in a SQUID gradiometer caused by a Cryotiger<sup>®</sup> gas-mixture cooler

*A.P. Rijpmma, H.J.M. ter Brake, E. de Vries, H.J. Holland and H. Rogalla* 317

Calendar 323

### Number 5/May

Analytical expression of the transverse resistance for a normal state layered superconductor measured with four arbitrarily disposed punctual contacts

*A. Nader* 325

A solid state Pomeranchuk refrigerator

*M.A. Continentino and A.S. Ferreira* 331

Numerical optimization of conduction cooled current leads for low current applications

*J. Lehtonen, A. Korpela, R. Mikkonen and J. Tuisku* 336

Reduction of fault current peak in an inductive high- $T_c$  superconducting fault current limiter

*M. Joo* 343

Liquid helium cryostat for SQUID-based MRI receivers

*H.C. Seton, J.M.S. Hutchison and D.M. Bussell* 348

Dielectric coefficient and density of subcooled liquid oxygen

*D. Celik and S.W. Van Sciver* 356

AC-loss measurement of small superconducting Bi-2223 test coils wound with multifilament barrier type conductors

*O. Zabara, R. Nast, W. Goldacker and C. Schmidt* 362

Novel flow analysis of regenerator under oscillating flow with pulsating pressure

*K. Nam and S. Jeong* 368

Investigation on a thermoacoustically driven pulse tube cooler working at 80 K

*L.M. Qiu, D.M. Sun, W.L. Yan, P. Chen, Z.H. Gan, X.J. Zhang and G.B. Chen* 380

Expansion efficiency of pulse tube in pulse tube refrigerator including shuttle heat transfer effect

*J. Jung and S. Jeong* 386

### Number 6/June

A new superleak to remove He<sup>3</sup> for UCN experiments

*H. Yoshiki, H. Nakai and E. Gutmiedl* 399

Kapitza resistance and thermal conductivity of Mylar at superfluid helium temperature

*G. Hattenberger, S. Carré, F.-P. Juster and B. Baudouy* 404

Multi-scale perturbation analysis in hydrodynamics of the superfluid turbulence. Derivation of the Dresner equation

*S.K. Nemirovskii and S.A. Ponomarenko* 408

Magnetic flux pinning and flux jumps in polycrystalline MgB<sub>2</sub>

- K. Murai, J. Hori, Y. Fujii, J. Shaver and G. Kozłowski* 415
- Predicting the thermal conductivity of aluminium alloys in the cryogenic to room temperature range  
*A.L. Woodcraft* 421
- Development of a miniature cryogenic fluid circuit and a cryogenic micro-pump  
*S. Grohmann, R. Herzog, T.O. Niinikoski, B. Perea-Solano, H. Quack, G. Vögele and E. Wobst* 432
- Acoustic emission and fracture behavior of GFRP woven laminates at cryogenic temperatures  
*Y. Shindo, M. Sumikawa, F. Narita and K. Sanada* 439
- Cryogenic properties of SiO<sub>2</sub>/epoxy nanocomposites  
*C.J. Huang, S.Y. Fu, Y.H. Zhang, B. Lauke, L.F. Li and L. Ye* 450
- Microwave characterization of laser ablated Y<sub>1</sub>Ba<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> thin films  
*D. Kaur* 455
- Performance of capacitors under DC bias at liquid nitrogen temperature  
*M.-J. Pan* 463
- Calendar 468
- Number 7/July**
- Mechanical tests of ATLAS Barrel Toroid tie rods  
*O.P. Anashkin, V.E. Keilin, A.V. Krivikh, V.V. Lysenko, V.I. Shcherbakov, A.V. Dudarev, H.H. ten Kate, C. Mayri, P. Vadrine and Y. Zaitsev* 469
- Heat exchanger versus regenerator: A fundamental comparison  
*M.E. Will and A.T.A.M. de Waele* 473
- Accidental release of hydrogen from a cryogenic tank  
*C. Cancelli, M. Demichela and N. Piccinini* 481
- A very light and thin liquid hydrogen/deuterium heat pipe target for COSY experiments  
*M. Abdel-Bary, S. Abdel-Samad and K. Kilian* 489
- Development of a valved linear compressor for a satellite borne J-T cryocooler  
*J. Reed, M. Dadd, P. Bailey, M. Petach and J. Raab* 496
- Finite element simulations of elastoplastic processes in Nb<sub>3</sub>Sn strands  
*N. Mitchell* 501
- Optimization of conduction-cooled Peltier current leads  
*E.S. Jeong* 516
- An innovative configuration for thermoacoustically-driven pulse tube coolers  
*J.Y. Hu, E.C. Luo and W. Dai* 523
- Calendar 528
- Number 8/August**
- Low temperature radiative properties of materials used in cryogenics  
*V. Musilova, P. Hanzelka, T. Kralik and A. Srnka* 529
- Size effects on miniature Stirling cycle cryocoolers  
*X. Yang and J.N. Chung* 537
- Heat transfer coefficient measurements for mixed gas working fluids at cryogenic temperatures  
*G. Nellis, C. Hughes and J. Pfotenhauer* 546
- Visualization for heat and mass transport phenomena in supercritical artificial air  
*A. Nakano and M. Shiraishi* 557
- Experimental investigation on a thermoacoustic engine having a looped tube and resonator  
*Z.B. Yu, Q. Li, X. Chen, F.Z. Guo and X.J. Xie* 566
- Experimental study of a transformer with superconducting elements for fault current limitation and energy redistribution  
*V. Meerovich and V. Sokolovsky* 572
- A small helium-3 pulse-tube refrigerator  
*I.A. Tanaeva and A.T.A.M. de Waele* 578
- A novel technique for minimum quench energy measurements in superconductors using a single-mode diode laser  
*F. Trillaud, F. Ayela, A. Devred, M. Fratini, D. Lebeuf and P. Tixador* 585
- Number 9/September**
- Multiscale analysis of the influence of the triplet helicoidal geometry on the strain state of a Nb<sub>3</sub>Sn based strand for ITER coils  
*D.P. Boso, M. Lefik and B.A. Schrefler* 589
- Analytical and finite element investigations of shear/compression test fixtures  
*D.H. Pahr, H.J. Böhm, K. Humer and H.W. Weber* 606
- Cryogenic valve pneumatically actuated by use of vapour pressure  
*N. Song, A. Binneberg, G. Kaiser, B. Schumann and J. Ulbricht* 617
- Thermal conductivity of subcooled liquid oxygen  
*D. Celik and S.W. Van Sciver* 620
- Recommended values for the thermal conductivity of aluminium of different purities in the cryogenic to room temperature range, and a comparison with copper  
*A.L. Woodcraft* 626
- Thermal conduction measurement of miniature coaxial cables between 0.3 and 4.5 K for the wiring of superconducting detectors  
*A. Kushino, M. Ohkubo and K. Fujioka* 637
- Short Communication**
- A single-stage pulse tube cooler reached 12.6 K  
*L.M. Qiu, Y.L. He, Z.H. Gan and G.B. Chen* 641
- Calendar 644
- Numbers 10-11 October/November**
- The conversion of the bronze matrix into the stabilizing Cu in Nb<sub>3</sub>Sn wires  
*M. Wakata and T. Takeuchi* 645
- Effect of transverse compressive stress on internal reinforced Nb<sub>3</sub>Sn superconducting wires and coils  
*G. Nishijima, K. Watanabe, T. Araya, K. Katagiri, K. Kasaba and K. Miyoshi* 653
- Optimization of counterflow heat exchanger geometry through minimization of entropy generation  
*P.P.P.M. Lerou, T.T. Veenstra, J.F. Burger, H.J.M. ter Brake and H. Rogalla* 659
- Review of high power density superconducting generators: Present state and prospects for incorporating YBCO windings  
*P.N. Barnes, M.D. Sumption and G.L. Rhoads* 670
- p-H* and *T-S* diagrams of <sup>3</sup>He from 0.2 K to 20 K  
*Y.H. Huang, G.B. Chen, B.H. Lai and S.Q. Wang* 687
- An experimental investigation of thermal contact conductance of stainless steel at low temperatures  
*R. Xu and L. Xu* 694
- Medium factors of electrical insulation systems in high temperature superconducting power apparatus with coil

structure for equivalent ac withstand  
voltage test at room temperature  
*M. Hara, T. Kurihara, R. Nakano and  
J. Suehiro* 705  
Calendar 718

**Number 12/December**

Efficient helium recondensing using a  
4 K pulse tube cryocooler  
*C. Wang* 719  
Thermal performance of multilayer  
insulation around a horizontal  
cylinder  
*T. Ohmori* 725

Investigation of oscillating flow friction  
factor for cryocooler regenerator  
considering cryogenic temperature  
effect

*K. Nam and S. Jeong* 733

Experimental and theoretical investiga-  
tion on frequency characteristic of  
loudspeaker-driven thermoacoustic  
refrigerator

*Q. Tu, V. Gusev, M. Bruneau,  
C. Zhang, L. Zhao and F. Guo* 739

Enhancing the wear resistance of case  
carburized steel (En 353) by cryogenic  
treatment

*A. Bensely, A. Prabhakaran, D.  
Mohan Lal and G. Nagarajan* 747

DC performance, AC loss and transient  
field stability of five medium size  
NbTi cable-in-conduit conductors  
with parametric variations

*R. Wesche, A. Anghel, B. Stepanov,  
M. Vogel and P. Bruzzone* 755

Calendar 780

Keywords I

Index to Volume 45 III

## Author Index

- Abdel-Bary, M., 489  
 Abdel-Samad, S., 489  
 Ahn, M.C., 65  
 Amemiya, M., 11  
 Amemiya, N., 29  
 Anashkin, O.P., 469  
 Anghel, A., 755  
 Araya, T., 653  
 Asaba, I., 17  
 Ayela, F., 585
- Bae, D.K., 65  
 Baek, S.-M., 51, 57  
 Bailey, P., 496  
 Bao, R., 185  
 Barnes, P.N., 670  
 Barucci, M., 295  
 Baudouy, B., 404  
 Bensely, A., 747  
 Böhm, H.J., 606  
 Binneberg, A., 617  
 Blanc-Benon, Ph., 163  
 Boso, D.P., 259, 589  
 Bosschaart, K.J., 173  
 Bruneau, M., 739  
 Bruzzzone, P., 755  
 Burger, J.F., 659  
 Bussell, D.M., 348
- Cai, J.H., 213  
 Cancelli, C., 481  
 Carballo, E., 135  
 Carré, S., 404  
 Celik, D., 356, 620  
 Chang, H.-M., 65  
 Chen, G.B., 185, 380, 641, 687  
 Chen, P., 380  
 Chen, X., 566  
 Chovanec, F., 129  
 Chung, J.N., 537  
 Continentino, M.A., 331
- Dadd, M., 496  
 Dai, W., 523  
 Dang, H.Z., 213  
 de Vries, E., 317  
 de Waele, A.T.A.M., 173, 473, 578  
 Demichela, M., 481  
 Devred, A., 585  
 Domarco, G., 135  
 Dudarev, A.V., 469
- Fan, Y.F., 272  
 Fang, L., 41  
 Ferreira, A.S., 331  
 Fratini, M., 585  
 Fu, S.Y., 450  
 Fujii, Y., 415  
 Fujioka, K., 637  
 Funaki, K., 289
- Gan, Z.H., 380, 641  
 Gao, C.M., 173  
 Ghosh, A.K., 149  
 Goldacker, W., 362  
 Gong, L.H., 272  
 González-Jorge, H., 135  
 Grohmann, S., 432  
 Guo, F., 739  
 Guo, F.Z., 566  
 Gusev, V., 739  
 Gutmiedl, E., 399
- Hahn, T.S., 35  
 Hales, P., 109  
 Hanzelka, P., 529  
 Hara, M., 705  
 Harrison, S., 109  
 Hasegawa, M., 277  
 Hasse, H., 253  
 Hattenberger, G., 404  
 Hayashi, T., 289  
 He, M., 41  
 He, Y.L., 641  
 Herzog, R., 432  
 Holland, H.J., 231, 317  
 Hori, J., 415  
 Hu, J.Y., 523  
 Huang, C.J., 450  
 Huang, Y.H., 687  
 Hughes, C., 546  
 Humer, K., 606  
 Hutchison, J.M.S., 348
- Inaguchi, T., 277  
 Inamoto, A., 123  
 Ishii, N., 11  
 Ishimoto, J., 304  
 Itoh, M., 300  
 Izumi, Y., 141
- Jeong, E.S., 516  
 Jeong, S., 368, 386, 733  
 Jia, Y.X., 41  
 Jiang, Z., 29
- Jin, T., 185  
 Jones, H., 109  
 Joo, M., 343  
 Joung, J.-M., 57  
 Ju, Y.L., 213  
 Jung, J., 386  
 Juster, F.-P., 404
- Kaiser, G., 617  
 Kajikawa, K., 289  
 Kang, H., 65  
 Kang, J.H., 35  
 Kasaba, K., 653  
 Katagiri, K., 653  
 Kaur, D., 455  
 Kedia, G.K., 253  
 Keilin, V.E., 469  
 Kilian, K., 489  
 Kim, B.Y., 35  
 Kim, D.H., 35  
 Kim, H.J., 45, 65  
 Kim, S.H., 45  
 Kim, S.-H., 51, 57  
 Kim, Y.S., 45, 71  
 Kimura, A., 11  
 Kimura, H., 11  
 Ko, T.K., 65  
 Kong, B., 185  
 Korpela, A., 336  
 Kozłowski, G., 415  
 Kralik, T., 529  
 Krivikh, A.V., 469  
 Kumagai, S., 123  
 Kurihara, T., 705  
 Kushino, A., 637  
 Kwag, D.S., 45  
 Kwon, Y.H., 71
- Lai, B.H., 687  
 Lauke, B., 450  
 Lebœuf, D., 585  
 Lee, C.-H., 57  
 Lee, S.-H., 243  
 Lefik, M., 259, 589  
 Lehtonen, J., 336  
 Lerou, P.P.P.M., 659  
 Li, L.F., 272, 450  
 Li, Q., 566  
 Liang, J.T., 213  
 Lin, L., 1  
 Lu, R.T., 41  
 Lu, X., 41  
 Luo, E.C., 523  
 Lysenko, V.V., 469



- Maekawa, R., 199  
 Maruyama, S., 11  
 Marx, D., 163  
 Mayri, C., 469  
 Meenderink, D.J., 231  
 Meerovich, V., 572  
 Mikkonen, R., 336  
 Milward, S., 109  
 Mitchell, N., 501  
 Mito, T., 199  
 Miyoshi, K., 653  
 Mohan Lal, D., 747  
 Mukoyama, S., 11  
 Murai, K., 415  
 Murakami, M., 77  
 Musilova, V., 529
- Nader, A., 325  
 Nagarajan, G., 747  
 Nakai, H., 399  
 Nakano, A., 557  
 Nakano, R., 705  
 Nakayama, H., 23  
 Nam, K., 368, 733  
 Narita, F., 439  
 Nast, R., 362  
 Nellis, G., 546  
 Nemirovskii, S.K., 408  
 Nguyen, V.-D., 57  
 Niinikoski, T.O., 432  
 Nishigaki, K., 243  
 Nishijima, G., 653  
 Nishijima, S., 141  
 Nishioka, T., 29  
 Nobutoki, M., 199
- Odaka, S., 23  
 Ogawa, J., 17, 23  
 Oh, S.-S., 29  
 Ohkubo, M., 637  
 Ohmori, T., 725  
 Okano, M., 300  
 Olivieri, E., 295  
 Ono, R., 304  
 Ooba, K., 199
- Pahr, D.H., 606  
 Pan, M.-J., 463  
 Park, J.H., 71  
 Pasca, E., 295  
 Peleteiro, J., 135  
 Perea-Solano, B., 432  
 Petach, M., 496  
 Pfothenauer, J., 546  
 Piccinini, N., 481
- Ponomarenko, S.A., 408  
 Prabhakaran, A., 747  
 Prasad, M., 193  
 Pundak, N., 117
- Qiu, L.M., 185, 380, 641  
 Quack, H., 432
- Raab, J., 496  
 Rao, R.R., 193  
 Reed, J., 496  
 Reed, J.S., 225  
 Reincke, H.A., 231  
 Rhoads, G.L., 670  
 Riabzev, S.V., 117  
 Rijpma, A.P., 231, 317  
 Risegari, L., 295  
 Rogalla, H., 317, 659  
 Ryoo, H.-S., 51
- Sanada, K., 439  
 Sato, O., 11  
 Schmidt, C., 362  
 Schrefler, B.A., 259, 589  
 Schumann, B., 617  
 Sciver, S.W. Van, 356  
 Seton, H.C., 348  
 Shaver, J., 415  
 Shcherbakov, V.I., 469  
 Shindo, Y., 123, 439  
 Shiraishi, M., 557  
 Shoji, A., 300  
 Soika, R., 149  
 Sokolovsky, V., 572  
 Song, N., 617  
 Srinivasan, K., 193  
 Srnka, A., 529  
 Stepanov, B., 755  
 Suehiro, J., 705  
 Sumikawa, M., 439  
 Sumption, M.D., 670  
 Sun, D.M., 380
- Takashima, H., 300  
 Takeda, M., 243  
 Takeuchi, T., 645  
 Tanaeva, I.A., 578  
 Tang, K., 185  
 ten Kate, H.H., 469  
 ter Brake, H.J.M., 231, 317, 659  
 Thummes, G., 155  
 Tixador, P., 585  
 Trillaud, F., 585  
 Troncoso, J., 135
- Tsukamoto, O., 1, 3, 17, 23  
 Tu, Q., 739  
 Tuisku, J., 336
- Ueki, T., 141  
 Ulbricht, J., 617  
 Usak, P., 129
- Van Sciver, S.W., 620  
 Vedrine, P., 469  
 Veenstra, T.T., 659  
 Venhorst, G.C.F., 231  
 Ventura, G., 295  
 Veprik, A.M., 117  
 Vilenchik, G.S., 117  
 Vogel, M., 755  
 Vögele, G., 432  
 Vrabec, J., 253
- Wakata, M., 645  
 Walker, I.R., 87  
 Wang, C., 719  
 Wang, J.W., 41  
 Wang, R., 300  
 Wang, S.Q., 687  
 Watanabe, K., 653  
 Weber, H.W., 606  
 Wesche, R., 755  
 Will, M.E., 473  
 Wobst, E., 432  
 Woodcraft, A.L., 421, 626
- Xiao, L.Y., 272  
 Xie, X.J., 566  
 Xu, L., 694  
 Xu, R., 694  
 Xu, X.D., 272
- Yagi, M., 11  
 Yagi, Y., 11  
 Yamagishi, K., 17  
 Yan, S.L., 41  
 Yan, W.L., 380  
 Yang, L.W., 155  
 Yang, X., 537  
 Ye, L., 450  
 Yoshiki, H., 399  
 Yu, Z.B., 566  
 Yun, M.-S., 1
- Zabara, O., 362  
 Zaitsev, Y., 469  
 Zeegers, J.C.H., 173  
 Zhang, C., 739  
 Zhang, L., 272

Zhang, P., 77  
Zhang, X.J., 380  
Zhang, Y.H., 450

Zhao, L., 739  
Zhao, M.G., 213  
Zhao, X.J., 41

Zhou, T.G., 41  
Zhou, Y., 213  
Zushi, Y., 17

**Keywords**

- AC loss, 289, 755  
 AC losses, 17, 23, 362  
 Ac-losses, 149  
 Accident analysis (D), 481  
 Acoustic mode, 566  
 Actuator, 617  
 Adiabatic enthalpy flow, 386  
 Angular dependence, 289  
 Argon (B), 432  
 Auxiliary high- $T_c$  superconducting coil, 343
- Beam theory, 589  
 Bi-2223 multifilament barrier conductor, 362  
 Boiling hysteresis, 129  
 Breakdown hole, 57  
 Breakdown stress, 45  
 BSCCO multifilamentary tape, 29
- Cable in conduit conductors, 277  
 Cable-in-conduit conductors, 755  
 Calibration (D), 225  
 Calorimeters, 23  
 Calorimeters (D), 620  
 Capacitor, 463  
 Case carburized steel, 747  
 Ceramics (A), 348  
 Claude cycle (E), 199  
 Coaxial cable, 637  
 Cold-box, 71  
 Cold treatment, 747  
 Cold valve, 617  
 Complex condition, 51  
 Composite materials, 589  
 Composites (A), 123, 439, 606  
 Cored Rutherford cable, 149  
 Counterflow heat exchangers (E), 659  
 Critical current (C), 653  
 Critical current density, 415  
 Critical current density (C), 645  
 Critical current distribution, 35  
 Critical fluid (C), 557  
 Cryocooler, 71, 231, 317, 368, 719  
 Cryoelectronics (D), 432  
 Cryogen, 231  
 Cryogen free magnets (F), 336  
 Cryogenic insulation, 57
- Cryogenic system, 65, 272  
 Cryogenic temperature, 637, 733  
 Cryogenic treatment, 747  
 Cryostats (F), 348, 529, 725  
 Cryotiger, 317  
 Cu-NbTi reinforcement (A), 653  
 Current lead, 516  
 Current leads (F), 336  
 Cylinder type Pitot tube, 173
- Diathermic enthalpy flow, 386  
 Dielectric paper, 45  
 Dielectric properties, 463  
 Dielectric properties (C), 300, 356  
 Dynamic simulation (C), 199
- Elastic membrane, 523  
 Electric dipole moment of neutron, 399  
 Electrical conductivity, 325  
 Electrical conductivity (C), 300, 421, 626  
 Electrical insulation weak part, 705  
 Electro-acoustic efficiency, 739  
 Elliptic cross-section, 289  
 Energy separation, 173  
 Entropy minimization, 659  
 Epoxy resin, 141, 450  
 Equivalent insulation test voltage at room temperature, 705  
 Escape rate, 35  
 Expansion efficiency, 386  
 External magnetic field, 289
- Fault current limiters, 572  
 Filament strain, 589  
 Film boiling, 77  
 Finite element method, 589  
 Finite element technique, 259  
 Flow control, 243  
 Flow visualization (D), 557  
 Fluid dynamics, 277  
 Flux creep, 135  
 Flux jump, 415  
 Frequency characteristic, 739  
 Frequency match (D), 380  
 Friction factor, 368, 733  
 Fusion magnets (F), 123, 199, 439
- Gas-liquid interface deformation, 243  
 Gas mixtures, 253  
 Gas mixtures (B), 557  
 Gas-to-wall heat transfer, 386
- Hardness, 694  
 $^3\text{He}$  (B), 331  
 He II, 404  
 $^3\text{He}$  systems (E), 578  
 Heat capacity (C), 489  
 Heat exchangers (E), 199, 473, 537  
 Heat leak, 516  
 Heat pipe (D), 489  
 Heat transfer, 77, 129  
 Heat transfer (C), 481, 529, 557, 725  
 Heat transfer coefficient, 546  
 Hell, 408  
 Helium-3, 687  
 Helium (B), 537  
 Helium dewar, 719  
 Helium vapour (B), 617  
 Hierarchical composite, 259  
 High  $T_c$  superconductors, 3, 17  
 High  $T_c$  superconductor, 362  
 High  $T_c$  superconductors, 325, 670  
 High  $T_c$  superconductors (A), 109, 300, 336  
 High-frequency, 155  
 High- $T_c$  SQUIDS, 213  
 High- $T_c$  superconducting fault current limiter, 343  
 High- $T_c$  superconductor, 11  
 HTS cable, 45  
 HTS cable termination, 51  
 HTS power cable, 272  
 HTS transformer, 57  
 Hydrogen (B), 481, 489  
 Hysteresis loop, 415
- Instrumentation (C), 469  
 Instrumentation (D), 225, 645  
 Insulation design, 51  
 Internal flow, 304  
 Interstrand resistance, 149
- Joule-Thompson coolers (E), 496  
 Joule-Thomson, 546  
 Joule-Thomson coefficient, 253  
 Joule-Thomson coolers (E), 659



- Kapitza resistance, 404  
 Laser ablation, 455  
 Linear polymer, 141  
 Liquid helium (B), 348  
 Liquid nitrogen, 129  
 Liquid oxygen (B), 356  
 Lorentz force (C), 653  
 Loudspeaker-driven thermoacoustic refrigerator, 739  
 Low temperature, 450, 694  
 Low temperature techniques (D), 489  
 Magnetic (A), 331  
 Magnetic field, 243  
 Magnetic material, 641  
 Magnetic measurements, 17  
 Magnetic refrigeration (E), 331  
 Magnetization loss, 29  
 Magnetometry, 317  
 Manufacturing technology, 11  
 Material processing, 747  
 Mechanical properties, 501  
 Mechanical properties (B), 469  
 Mechanical properties (C), 123, 439, 606  
 Mechanical stress, 45  
 Medium factor, 705  
 Metallic tapes, 129  
 Metals (A), 421, 529, 626  
 $\text{MgB}_2$  polycrystal, 415  
 MHD magnets (F), 109  
 Micro cryocooler, 659  
 Microwave, 455  
 Mixed gas, 546  
 Mixture, 546  
 Multifilament superconducting strand, 259  
 Multifilament wires and tapes, 501  
 Multifilament wires and tapes (A), 645  
 Multilayer insulation, 725  
 Multilevel homogenisation, 589  
 Multiphase flow, 304  
 Multiscale homogenisation, 259  
 Mylar Polymer, 404  
 NaCl aqueous solution, 243  
 Nb/ $\text{AlO}_x$ /Nb Josephson junction, 35  
 $\text{Nb}_3\text{Sn}$  (A), 653  
 $\text{Nb}_3\text{Sn}$  based strand, 589  
 NbTi superconductors, 755  
 Nitrogen, 231, 253  
 Nitrogen (B), 109, 606  
 Nonmagnetic, 213  
 Nonmetallic, 213  
 Numerical simulation, 163  
 Optical techniques (D), 557  
 Optimization, 659  
 Oscillating flow, 368, 733  
 Oscillations, 129  
 Oxygen, 253  
 Oxygen (B), 620  
 Peltier effect, 516  
 $p$ - $H$  diagram, 687  
 Phase angle, 368  
 Phenoxy, 141  
 Polymer, 295  
 Power applications, 3, 463  
 Power frequency withstand voltage test, 705  
 Power system protection, 343  
 Pressure and temperature oscillations, 77  
 Processing (A), 645  
 Pulse tube, 719  
 Pulse tube (E), 155, 578  
 Pulse tube cooler, 523  
 Pulse tube cooler (E), 380, 641  
 Pulse tube cryocoolers, 213  
 Pulse tube refrigerator, 185, 386  
 Pumps (E), 432  
 Quality factor, 739  
 Quench behaviour, 755  
 Radiant properties (C), 529  
 Ranque-Hilsch vortex tube, 173  
 Recondensing, 719  
 Refrigerant, 546  
 Regenerator, 368, 733  
 Regenerator (E), 155, 641  
 Regenerators (E), 473  
 Relative penetration depth, 566  
 Reverse Brayton cycle, 71  
 Rotating electric machinery, 670  
 Roughness, 694  
 Self-field effect, 755  
 SFCL, 65  
 Slush nitrogen, 304  
 Space cryogenics, 617  
 Space cryogenics (F), 496  
 SQUID, 231, 317  
 SQUIDs (D), 348  
 Stability, 277  
 Staging-method, 155  
 Stirling (E), 225, 537  
 Stirling cryocooler, 117  
 Stirling-type, 213  
 Stress effects, 501  
 Structural materials (A), 469, 529  
 Structural supports (D), 469  
 Structural supports (F), 123, 439  
 Sub-cooled  $\text{LN}_2$ , 272  
 Sub-cooled nitrogen, 65  
 Superconducting bearings (F), 432  
 Superconducting cable, 304, 589  
 Superconducting cables, 277  
 superconducting coil, 362  
 Superconducting generators, 670  
 Superconducting magnets, 501  
 Superconducting magnets (F), 123, 439, 606, 725  
 Superconducting power apparatus, 705  
 Superconducting power cable, 11  
 Superconducting rings, 135  
 Superconducting tapes, 670  
 Superconducting thin film, 41  
 Superconducting vortex, 135  
 Superconducting wire, 289  
 Superconductors, 455, 572  
 Superfluid, 399  
 Superfluid helium (He II), 77  
 Superfluid turbulence, 408  
 Superleak, 399  
 Surface flashover, 51  
 Surface resistance, 41  
 Tensile properties, 450  
 Test results, 272  
 Thermal conductivity, 295, 404, 637, 694  
 Thermal conductivity (C), 421, 489, 620, 626  
 Thermal contact conductance, 694  
 Thermal expansion, 450, 501  
 Thermal expansion (C), 606  
 Thermal storage unit, 231  
 Thermal strain, 259  
 Thermoacoustic engine, 185, 523, 566  
 Thermoacoustic refrigeration, 185  
 Thermoacoustic refrigerator, 163  
 Thermoacoustics, 163  
 Thermoacoustics (C), 380  
 Thermodynamics, 253

- Thermodynamics (C), 331, 473, 496, 645  
Thermoelectric element, 516  
Thin film, 23  
Thin film (A), 300  
 $\text{Ti}_2\text{Ba}_2\text{CaCu}_2\text{O}_8$ , 41  
Total AC loss, 29  
Transformers, 572  
Transmission frequency band, 739  
Transmission lines, 3  
Transmission lines (F), 725  
Transport (F), 481  
Transport properties, 325  
Transverse compressive stress (C), 653  
Triple-point, 231  
 $T$ - $S$  diagram, 687  
Twist, 29  
Two-phase flow, 304  
Two-phase flow (C), 432  
Ultracold neutrons, 399  
Unsteady heat transfer, 408  
Vapour pressure (C), 617  
Vibration control, 117  
Vibration counterbalancing, 117  
Vibration protection, 117  
Visualization, 77  
Volume-averaging, 368  
 $V$ - $t$  characteristics, 57  
Wear, 747  
YBCO coated conductor, 670

